the most experience the widest range.





PRICELIST







We prepare riding surfaces for winners

For permanent care for all riding surfaces: loosen, mix and smooth in one quick operation with the RS-Platz Max® arena leveller. Meanwhile the Platz-Max® has become an established name in the equestrian scene, it is based at all major tournaments and other equestrian sports events.



Platz-Max® Family Overview:

Platz-Max® Basic Platz-Max® SPECIAL Platz-Max® Standard Platz-Max® Roll K * / GW / FF Platz-Max® NL-K * Platz-Max® Roll GW-SM Platz-Max® NI -GW * Platz-Max® Rain K / GW Platz-Max® NL-GW Plus * Platz-Max® Giga / Giga 2000 Platz-Max® NL-GW SM * Platz-Max® Turf Platz-Max® NL-GW SM Plus* Weidenschleppe Platz-Max® NL-FF Platz-Max® Zubehör



Platz-Max® - established and awarded!

Platz-Max® Multi

In 1997 the Platz-Max® was presented for the first time. Since then more than 6000 units have been sold. In 2013 the Platz-Max® "Multi" received the innovation prize at the well-known equestrian fair "Equitana".




Platz-Max® - for all riding surfaces

Over the years, the Platz-Max* has met the extended requirements of the equestrian market and is now compatible with the Basic and Special models are ideally positioned for all riding surfaces. Due to the favourable feedback from our customers we have been able to improve and promote the product further.



Why is the Platz-Max® so popular in the horse scene?

The Platz-Max® is designed in such a way that it can be used on almost all riding surfaces for both Indoor and outdoor riding arenas. Specially developed harrow tines are available for use, Smoothing bars, flex forming rolls, levelling bars, mesh rolls, Flex signs with serrated ledge as well as hoof impact scrapers and Tape rolls.





Platz-Max® product finder

The product finder offers you a quick overview of the working widths of the most popular Platz-Max® models. Detailed information and prices can be found on the following pages.

Platz-Max* NL-GW / NL-GW SM Platz-Max* NL-GW / NL-GW SM Platz-Max* NL-GW Plus Platz-Max* NL-FF Platz-Max* NL-FF Platz-Max* Roll K Platz-Max* Roll GW / GW-SM Platz-Max* Roll FF Platz-Max* Roll F Platz-Max* Roll FF Platz-Max* Roll FR Pl	Modell	1,35 m	1,60 m	1,80 m	2,00 m	2,20 m	2,40 m	2,50 m	2,70 m	2,80 m	weights kg
Platz-Max* NL-GW / NL-GW SM Platz-Max* NL-GW / NL-GW SM Platz-Max* NL-GW Plus Platz-Max* NL-FF Platz-Max* NL-FF Platz-Max* Roll K Platz-Max* Roll K Platz-Max* Roll GW / GW-SM Platz-Max* Roll GW / GW-SM Platz-Max* Roll FF Platz-Max* Roll FF Platz-Max* Roll FF Platz-Max* Roll GW / GW-SM Platz-Max* Roll FF Platz-Max* Roll GW (400 L) Platz-Max* Roll K (400 L) Platz-Max* Roll FI Platz-Max* Roll GW (400 L) Platz-Max* Roll GW (Platz-Max® NLK	~									193
Platz-Max* NL-GW / NL-GW SM Platz-Max* NL-GW Plus Platz-Max* NL-GW Plus Platz-Max* NL-FF Platz-Max* Roll K Platz-Max* Roll K Platz-Max* Roll GW / GW-SM Platz-Max* Roll FF Platz-Max* Roll FO Platz-M			~								220
Platz-Max* NL-GW / NL-GW SM						~					286
Platz-Max* NL-GW Plus									~		349
Platz-Max* NL-GW Plus	Platz-Max® NL-GW / NL-GW SM	~									210
Platz-Max* NL-GW Plus			~								240
Platz-Max* NL-GW Plus Platz-Max* NL-FF Platz-Max* Roll FF Platz-Max* Roll GW / GW-SM Platz-Max* Roll FF Platz-Max* Roll F				~							270
Platz-Max* NL-FF Platz-Max* NL-FF Platz-Max* NL-FF Platz-Max* Roll K Platz-Max* Roll GW / GW-SM Platz-Max* Roll FF Platz						~					308
Platz-Max* NL-GW Plus 330 Platz-Max* NL-FF 265 V 380 Platz-Max* NL-FF 265 V 390 390 445 Platz-Max* Roll K 220 V 240 Platz-Max* Roll GW/GW-SM 220 Platz-Max* Roll FF 240 V 300 Platz-Max* Roll FF 250 V 315 Sass 255 Platz-Max* Roll FF 265 V 3315 385 295 Platz-Max* Roll FF 200 V 335 385 295 V 3385 Platz-Max* Rain K (400 L) 200 Platz-Max* Rain K (600 L) 230 Platz-Max* Rain GW (500 L) 2523 Platz-Max* Rain GW (600 L) 2523 Platz-Max* Rain GW (600 L) 253 Platz-Max* Rain GW (600 L) 254 Platz-Max* Rain GW (600 L) 254 Platz-Max* Rain GW (1.000 L								~			350
Platz-Max* NL-FF									~		366
Platz-Max® NL-FF	Platz-Max® NL-GW Plus						~				330
										~	380
Platz-Max* Roll K	Platz-Max® NL-FF	~									265
Platz-Max® Roll K Platz-Max® Roll GW / GW-SM Platz-Max® Roll GW / GW-SM Platz-Max® Roll FF Platz-Max® Roll FF Platz-Max® Roll FF Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® Rain K (400 L) Platz-Max® Rain K (400 L) Platz-Max® Rain K (400 L) Platz-Max® Rain GW (400 L)			~								300
Platz-Max® Roll K Platz-Max® Roll GW / GW-SM Platz-Max® Roll FF Platz-Max® Roll FF Platz-Max® Roll FF Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® Rain K (400 L) Platz-Max® Rain K (400 L) Platz-Max® Rain GW (400 L)				~							335
Platz-Max* Roll K ✓ 220 240 240 280 280 Platz-Max* Roll GW / GW-SM ✓ 210 240 240 250 300 Platz-Max* Roll FF ✓ 300 Platz-Max* GW-SM ✓ 335 Platz-Max* GW-SM ✓ 230 Platz-Max* Rain K (400 L) ✓ 268 Platz-Max* Rain K (600 L) ✓ 428 Platz-Max* Rain GW (400 L) ✓ 523 Platz-Max* Rain GW (500 L) ✓ 470 Platz-Max* Rain GW (1.000 L) ✓ 470 Platz-Max* Rain GW (1.000 L) ✓ 540 Platz-Max* Multi ✓ 520						~					390
Platz-Max* Roll GW / GW-SM Platz-Max* Roll GW / GW-SM Platz-Max* Roll FF Platz-Max* Roll FF Platz-Max* GW-SM Platz-Max* GW-SM Platz-Max* GW-SM Platz-Max* Rain K (400 L) Platz-Max* Rain K (500 L) Platz-Max* Rain GW (400 L) Platz-Max* Rain GW (500 L) Platz-Max* Rain GW (1.000 L) Platz-Max* Rain GW (500 L)								~			445
Platz-Max® Roll GW / GW-SM Platz-Max® Roll FF Platz-Max® Roll FF Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® GW-SM Platz-Max® Rain K (400 L) Platz-Max® Rain K (600 L) Platz-Max® Rain GW (400 L) Platz-Max® Rain GW (500 L)	Platz-Max® Roll K	~									220
Platz-Max® Roll GW / GW-SM ✓ 240 ✓ 250 J ✓ 300 Platz-Max® Roll FF ✓ 265 ✓ 295 315 J 385 295 J 200 230 Platz-Max® GW-SM ✓ 268 Platz-Max® Rain K (400 L) ✓ 333 Platz-Max® Rain K (600 L) ✓ 428 Platz-Max® Rain K (1.000 L) ✓ 523 Platz-Max® Rain GW (400 L) ✓ 350 J 380 380 Platz-Max® Rain GW (500 L) ✓ 470 Platz-Max® Rain GW (1.000 L) ✓ 540 Platz-Max® Multi ✓ 520			~								240
Platz-Max® Roll FF Platz-Max® GW-SM Platz-Max® Rain K (400 L) Platz-Max® Rain K (500 L) Platz-Max® Rain GW (500 L)						~					280
Platz-Max® Roll FF Platz-Max® GW-SM Platz-Max® Rain K (400 L) Platz-Max® Rain K (400 L) Platz-Max® Rain GW (400 L) Platz-Max® Rain GW (400 L) Platz-Max® Rain GW (500 L)	Platz-Max® Roll GW / GW-SM	~									210
Platz-Max® Roll FF			~								240
Platz-Max® Roll FF ✓ 265 ✓ 315 315 315 385 200 Platz-Max® GW-SM 200 ✓ 230 Platz-Max® Rain K (400 L) ✓ Platz-Max® Rain K (600 L) ✓ Platz-Max® Rain K (1.000 L) ✓ Platz-Max® Rain GW (400 L) ✓ V 350 380 380 Platz-Max® Rain GW (500 L) ✓ 470 Platz-Max® Rain GW (1.000 L) ✓ 540 Platz-Max® Multi ✓ 520				~							250
Platz-Max® GW-SM Platz-Max® Rain K (400 L) Platz-Max® Rain K (500 L) Platz-Max® Rain GW (400 L) Platz-Max® Rain GW (500 L)						~					300
Platz-Max® GW-SM Platz-Max® Rain K (400 L) Platz-Max® Rain K (600 L) Platz-Max® Rain GW (400 L) Platz-Max® Rain GW (400 L) Platz-Max® Rain GW (500 L)	Platz-Max® Roll FF	~									265
Platz-Max® GW-SM			~								295
Platz-Max® GW-SM 200 230 230 268 268 Platz-Max® Rain K (400 L) 333 Platz-Max® Rain K (600 L) 428 Platz-Max® Rain K (1.000 L) 523 Platz-Max® Rain GW (400 L) 350 200 380 Platz-Max® Rain GW (500 L) 410 Platz-Max® Rain GW (600 L) 470 Platz-Max® Rain GW (1.000 L) 540 Platz-Max® Multi 520				~							315
Platz-Max® Rain K (400 L)						~					385
✓ 268 Platz-Max® Rain K (400 L) ✓ 333 Platz-Max® Rain K (600 L) ✓ 428 Platz-Max® Rain GW (400 L) ✓ 523 Platz-Max® Rain GW (400 L) ✓ 350 Platz-Max® Rain GW (500 L) ✓ 410 Platz-Max® Rain GW (600 L) ✓ 470 Platz-Max® Rain GW (1.000 L) ✓ 540 Platz-Max® Multi ✓ 520	Platz-Max® GW-SM		~								200
Platz-Max® Rain K (400 L) ✓ 333 Platz-Max® Rain K (600 L) ✓ 428 Platz-Max® Rain K (1.000 L) ✓ 523 Platz-Max® Rain GW (400 L) ✓ 350 V 380 Platz-Max® Rain GW (500 L) ✓ 410 Platz-Max® Rain GW (600 L) ✓ 470 Platz-Max® Rain GW (1.000 L) ✓ 540 Platz-Max® Multi ✓ 520				~							230
Platz-Max® Rain K (600 L) 428 Platz-Max® Rain K (1.000 L) 523 Platz-Max® Rain GW (400 L) 350 Platz-Max® Rain GW (500 L) 410 Platz-Max® Rain GW (600 L) 470 Platz-Max® Rain GW (1.000 L) 540 Platz-Max® Multi 520						~					268
Platz-Max® Rain K (1.000 L)	Platz-Max® Rain K (400 L)		~								333
Platz-Max® Rain K (1.000 L)	Platz-Max® Rain K (600 L)					~					428
380 Platz-Max® Rain GW (500 L)									~		523
Platz-Max® Rain GW (500 L) ✓ 410 Platz-Max® Rain GW (600 L) ✓ 470 Platz-Max® Rain GW (1.000 L) ✓ 540 Platz-Max® Multi ✓ 520	Platz-Max® Rain GW (400 L)	~									350
Platz-Max® Rain GW (600 L) ✓ 470 Platz-Max® Rain GW (1.000 L) ✓ 540 Platz-Max® Multi ✓ 520			~								380
Platz-Max® Rain GW (1.000 L) ✓ 540 Platz-Max® Multi ✓ 520	Platz-Max® Rain GW (500 L)					~					410
Platz-Max® Multi ✓ 520	Platz-Max® Rain GW (600 L)							~			470
	Platz-Max® Rain GW (1.000 L)								~		540
Platz-Max® Multi	Platz-Max® Multi				~						520
1 Idd. 111d. 111d.	Platz-Max® Multi							~			582

product	width	net price	
Platz-Max®- Standard			
with tilling roller Ø 280 mm			
 big track-clearer big cushion wheel, telescopic coupling triangle 	1,35 m 1,60 m 2,20 m 2,70 m	2.000,00 € 2.200,00 € 2.600,00 € 3.000,00 €	
reduced price			
· without track clearer · without counterweight		250,00€	
additional charge:			
· track-clearer on left with cushion wheel		350,00 €	
Platz-Max®- NL-K			
with tilling roller Ø 280 mm			
 big track-clearer big cushion-wheel, telesc. swivel and trailing mechanism 	1,35 m 1,60 m 2,20 m 2,70 m	2.500,00 € 2.700,00 € 2.950,00 € 3.350,00 €	
reduced price			
· without track clearer · without counterweight		250,00 €	
additional charge:			
· track-clearer on left with cushion wheel		350,00 €	
freight charges	1,35 - 1,80 m 2,20 m 2,70 m	by request by request by request	D. (1)



Version: 06-2018 | Prices without tax | Reservation of technical modification

product width net price	
Platz-Max®-NL-GW	
with lattice roller Ø 310 mm	-
· big track-clearer 1,35 m 3.200,00€	
· big cushion-wheel, telesc. 1,60 m 3.350,00 €	× 5
· swivel and trailing mechanism 1,80 m 3.700,00 €	
2,20 m 4.250,00 € 2,50 m 4.650,00 €	
2,50111 4.050,00€ 2,70 m 4.850,00€	
reduced price	
· without track clearer 250,00 €	曲
· without counterweight	is 🖊 🚾
additional charge:	
· track-clearer on left with cushion wheel 350,00 €	
Platz-Max®-NL-GW Plus	
with devided lattice roller Ø 310 mm	123
· big track-clearer 2,40 m 4.800,00 €	
big cushion-wheel, telesc. 2,80 m 5.200,00 €	
swivel and trailing mechanism divided roller	-
· divided folier	- 77
reduced price	
• without track clearer 250,00 €	
· without track clearer 250,00 € · without counterweight	4.0
additional charge:	
Commence and the state of the s	
· track-clearer on left with cushion wheel 350,00 € 13. Okt. 2013	MX
freight charges 1,35 - 1,80 m by request	V
2,20 m by request	NO.
2,40-2,80 m by request	1
	A.



Version: 06-2018 | Prices without tax | Reservation of technical modification

Platz-Max® NL-GW SM / NL-GW SM Plus / NL-FF

product	width	net price	
Platz-Max®-NL-GW SM			
with lattice roller Ø 310 mm			
 big track-clearer on right big cushion wheel, telesc. hinged trailling mechanism pusher blade two rows adjustable tines 	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m	3.600,00 € 3.850,00 € 3.950,00 € 4.500,00 € 4.950,00 €	
reduced price			
· without track clearer · without counterweight		250,00 €	
Platz-Max®-NL-GW SM Plus			
with lattice roller Ø 310 mm			S AL TOR W
 big track-clearer on right big cushion wheel, telec. hinged trailling mechanism pusher blade two rows adjustable tines 	2,40 m 2,80 m	5.100,00 € 5.500,00 €	P. Platz-Max
			Malatana
reduced price		252.00.6	
· without track clearer · without counterweight		250,00 €	
Platz-Max®-NL-FF			
with farmflex roller Ø 310 mm			
 big track-clearer on right big cushion wheel, telesc. hinged trailling mechanism pusher blade two rows adjustable tines 	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m	3.800,00 € 4.150,00 € 4.350,00 € 4.800,00 € 5.150,00 €	
reduced price			
· without track clearer · without counterweight		250,00 €	
freight charges	1,35 - 1,80 m 2,20 m	by request by request	
	2,40-2,80 m	by request	

product	width	net price	
Platz-Max®- Multi combined tracking system (NL) two-way hydraulic adjustment of Compactor blade and farmflex roller (FF) cushion wheels on both side track clearer double-sided	2,00 m 2,50 m	5.600,00 € 6.300,00 €	D Ple
double-action hydraulic connection is necessary! additional charge:			I
· turf brush		by request	
- special color or galvanized frame of arena leveller		150,00€	
freight charges	2,00 m 2,50 m	by request by request	



Version: 06-2018 | Prices without tax | Reservation of technical modification

product	width	net price	
Platz-Max®- Roll K			
with tilling roller Ø 280 mm with hydraulic chassis			Add.
· big track-clearer	1,35 m	2.750,00€	
· big cushion wheel, telescopic	1,60 m 2,20 m	2.950,00 € 3.500,00 €	2 112
hydraulic connection necessary!	2,20111	3.300,000	5
as a co-delivery			
 Hydraulic adjustment of the chassis via hand pump manual lifting for 		150,00€	
small tractors, cars, quads etc.			Lo
Platz-Max®- Roll GW			
with lattice roller Ø 345 mm and hydraulic chassis (higher lift)			
big track-clearerbig cushion wheel, telescopic	1,35 m	3.500,00€	
hydraulic connection necessary!	1,60 m 1,80 m	3.650,00 € 4.000,00 €	
nyaraane connection necessary.	2,20 m	4.600,00€	
as a co-delivery			
 hydraulic adjustment of the chassis via hand pump manual lifting for small tractors, cars, quads etc. 		150,00€	
reduced price			
· without track clearer		250,00€	
· without counterweight			
additional charge:			
· track-clearer on left with cushion wheel		350,00€	
4.			
freight charges	1,35 - 1,80 m 2,20 m	by request by request	
	2,20111	by request	

product	width	net price	
Platz-Max®- Roll FF with farmflex roller Ø 310 mm and hydraulic chassis (higher lift)			
 big track-clearer big cushion wheel, telescopic pusher blade two rows adjustable tines 	1,35 m 1,60 m 1,80 m 2,20 m	4.300,00 € 4.650,00 € 5.000,00 € 5.400,00 €	2
hydraulic connection necessary!			
as a co-delivery			
 hydraulic adjustment of the chassis via hand pump manual lifting for small tractors, cars, quads etc. 		150,00€	
reduced price			
· without track clearer · without counterweight		250,00€	
Platz-Max®- Roll GW-SM			
with lattice roller Ø 345 mm and hydraulic chassis (higher lift)			
 big track-clearer big cushion wheel, telescopic pusher blade two rows adjustable tines 	1,35 m 1,60 m 1,80 m 2,20 m	4.100,00 € 4.450,00 € 4.600,00 € 4.950,00 €	
hydraulic connection necessary!			O FA
as a co-delivery			
 hydraulic adjustment of the chassis via hand pump manual lifting for small tractors, cars, quads etc. 		150,00€	
reduced price			
· without track clearer · without counterweight		250,00€	
48			
freight charges	1,35-1,80 m 2,20 m	by request by request	

product width net price	
Platz-Max®- Rain-K	
with tilling roller Ø 280 mm	
· with PTO pump 400L 1,60 m 6.100,00 €	
· with galvanized frame around 400 L 2,20 m 6.500,00 €	
the tank 500 L 2,20 m 6.800,00 €	
• nozzle line VA 600 L 2,20 m 6.900,00 € • big sushion wheel, telescopic 600 L 2,70 m 7.600,00 €	
big track clearer 800L 2,70 m 7.000,00€	
1.000 L 2,70 m 8.150,00 €	
Platz-Max®- Rain-GW	
with lattice roller Ø 345 mm	
• with PTO pump 400	
• with galvanized frame around 400L 1,80 m 7.250,00€	
the tank 400 L 2,20 m 7.600,00 €	1
· nozzle line VA 500 L 2,20 m 7.900,00 €	
big sushion wheel, telescopic 600 L 2,20 m 8.100,00 €	<u>S</u> L
big track clearer 600 L 2,50 m 8.700,00 € 8.700,00 € 9.100,00 €	
1.000L 2,50 m 9.450,00 €	
800 L 2,70 m 9.650,00 €	
1.000L 2,70 m 9.950,00€	
reduced price	
· without track clearer 250,00 €	
· without counterweight	
additional charge:	
· track-clearer on left with cushion wheel 350,00 € · for divided roller	
750,00 € 2,40 - 2,80 m	
freight charges 1,60-2,20 m by request	
2,40-2,80 m by request	

product	volume	net price	
Platz-Max®- Giga 2000 special steering mechanism hinged trailing mechanism (NL) optional with devided lattice roller (GW) farmflex roller (FF) tilling roller (K) rear hydraulik two hydraulik levelling units with water levell indicator four individually selectable nozzle rows plus arena leveller freight charge by request!	1.000 L 1.500 L 2.000 L	12.200,00 € 13.400,00 € 14.500,00 €	
freight charges		by request	



Version: 06-2018 | Prices without tax | Reservation of technical modification

product	width	net price
Platz-Max®- Turf		
with 13 mm tines instead of 10 mm with tilling roller Ø 280 mm		
 coupling triangle without track clearer without cushion wheel 	2,20 m 2,70 m 3,20 m	2.600,00 € 2.900,00 € 3.800,00 €
with rugged mounting frame		
for mounting 2x Platz-Max 2,20 m complete 2x Platz-Max 2,70 m complete	4,50 m 5,50 m	8.000,00€ 8.600,00€
hydraulically folding	5,00 m 5,50 m	16.500,00€ 17.500,00€
track-clearer XXL		550,00€
additional charge: hardox roller to increase the endurance!	2,20-2,70 m 4,50-5,50 m	680,00€ 1.300,00€
freight charges	bis 1,60 m 2,20 m 2,70 m 3,20 - 5,50 m	by request by request by request by request









Platz-Max®-accessories	volume	net price	
Rain-Modul			
for Platz-Max-Roll			
 mobile irrigation for stables tractors at least 25 kW necessary drive about oil engine diaphragm kolbran pump mechanical section closing incl. pumps incl. nozzle line without Platz-Max-Roll 	600 L	4.000,00€	
Rain-Modul Pritsche			
for Platz-Max-Roll mobile irrigation: on all-wheel flatbed vehicles e.g. Kawasaki Mule, John Deere HPX Gator Drive via Honda gasoline-powered water pump mechanical section closing incl. pumps incl. nozzle line Ohne Planer-Roll	600 L	3.650,00€	
Platz-Max Rain system complete			
· for pickup trucks, unimog, vehicle of fendt etc. · incl. pumps · incl. nozzle line · without Platz-Max-NL	800 L	4.200,00€	
Rain-Modul für Reitplatzschleppe			
Please ask us if your tractor is suited for the module: Delivery of the trail is necessary! alteration at scuttlebutt 3000 - 7000 I - at the existing butt-trailer will be attached a rear hydraulic for Platz-Max to maintain riding areas - the water irrigation comes through the 3 nozzle lines (system of Platz-Max-Rain) - incl. pumps - incl. nozzle line - without Platz-Max-NL		5.750,00€	
43			
freight charges		by request	

product	net price	
Platz-Max®-Roll		
Add-on kit		
· hydraulic adjustment of chassis by hydraulic pump · manual for lawn tractor, cars, quads, etc.	250,00€	
3-way valve additionally for use on machines with their own hydraulics for use on machines without their own hydraulics	150,00 €	
Hand pump precondition		
Platz-Max®		
coupling triangle-NL		
at the implement, to take it quickly up	200,00€	
		AND
Platz-Max®		
swivel and trailing mechanism		
long (old edition)	950,00€	
short (new edition)	1.150,00€	
Platz-Max®-Rain		
coupling triangle-Rain		
· at the implement, to take it quickly up	300,00€	Achtung! Grant Transcher
Platz-Max®-Rain		
induction pipe		
to injest water of brooks and ponds	150,00€	
· with filter		
· holder and switch leveller		
Platz-Max®-Rain		
elongation of lower steering		
· for tractor's cabin (attention to the lifting force of the tractor)	180,00€	e c
Platz-Max®		
additional charge for:		
• special color or galvanized frame of arena leveller (RAL)	150,00€	

product	width	net price	
tilling roller Ø 280 mm in rectangular frame exchangeable without tools on the machine, if two options are desired incl. fitting	1,35 m 1,60 m 2,20 m 2,70 m	500,00 € 600,00 € 800,00 € 1.000,00 €	
lattice roller Ø 345 mm			
in rectangular frame exchangeable without tools on the machine, if two options are desired incl. fitting	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m 2,70 m	1.400,00 € 1.500,00 € 1.600,00 € 2.000,00 € 2.300,00 € 2.500,00 €	
· centrically divided, 4 bearings	2,40 m 2,80 m	2.600,00 € 2.800,00 €	
farmflex roller Ø 310 mm · in rectangular frame · exchangeable without tools on the machine, if two options are desired · incl. fitting	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m	1.600,00 € 1.800,00 € 2.000,00 € 2.200,00 € 2.300,00 €	
Produkt	width	net price	
skimmer · attachment without tools · to loosen extrem hardened grounds · glavanized attention: Damage of the substructure is possible! the working breadth of the skimmer is smaller!	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m 2,70 m	320,00 € 370,00 € 450,00 € 550,00 € 570,00 €	
volcanic shovel			
left or right • extended hoofbeat scraper with vulkolan bar instead of coulter • only the ledge, without coulter Also - for hanging kickboards		220,00€	
Does do La			









www.platz-max.com

Rampelmann & Spliethoff GmbH & Co. KG

Greffener Straße 11 48361 Beelen Fon: +49 (0) 25 86 / 93 04 - 0

Fax: +49 (0) 25 86 / 93 04 - 30 E-Mail: info@rasplie.de

We reserve the right to make changes in technology and equipment. No claims can be derived from information or illustrations. If this catalogue is published, all previous catalogues lose their validity. The general terms and conditions of Rampelmann & Spliethoff GmbH & Co. KG, can be viewed in the imprint at: www.rasplie.de or on request. Version 06-2018